
# Live Cleaning Maintenance of Mining Motor & Electrical Equipment

Fujian Tengdajie Environmental Protection Engineering Co., Ltd.









#### Mine power supply equipment

The importance of power supply equipment to the mine







The mine power supply system is composed of all levels of substations and power distribution lines of various voltage levels in the mine. For mine power supply systems, two typical methods are generally used: deep shaft power supply system, shallow shaft power supply system and flat tunnel power supply system. The mine power supply system is composed of all levels of substations and power distribution lines of various voltage levels in the mine. For mine power supply systems, two typical methods are generally used: deep shaft power supply system, shallow shaft power supply system and flat tunnel power supply system. However, due to the particularity of the mine environment, the underground power equipment is undoubtedly operating in a very challenging environment-humidity, dust, gas!





#### Mine electrical equipment

The importance of electrical equipment to the mine







The main use scenarios of mining electrical equipment are divided into: lifting and transportation equipment, ventilation and compressed air equipment, water supply and drainage equipment, etc. This type of equipment belongs to long-term continuous working equipment, which is seriously polluted, generates high heat, and is often worn. Maintenance is required, but it is one of the types of equipment with relatively scarce treatment methods, which adds many difficulties and risks to daily equipment maintenance.



### (2)

#### Contamination Hazards



#### Oil and dust are major contaminations



All kinds of electrical and electronic equipment are polluted by oil, dust, metal particles, acid and alkali salts in the environment during long-term use, which may lead to failures, which will lead to casualties and power outages.

#### Hazards

The accumulation of harmful pollutants in equipment can easily lead to the reduction of insulation, short circuit and increase of current leakage. When the temperature rises, the probability of soft failure increases, and the possibility of causing flashover, pollution flashover and other hazards increases. Serious cases lead to large-scale blackouts, and even fire disasters.



# Contamination Hazards





#### Oil and dust are the main pollutants

- (1) The coil is corroded and covered by grease and other dirt, causing the coil to age and overheat;
- (2) The ventilation part of the air-cooled motor is blocked by dirt;
- (3) Motor coil overheating caused by motor overload operation;
- (4) The bearing is overheated due to poor installation and lubrication;
- (5) The brush is ignited to ignite the dirt on the motor;
- (6) the contact is loose and ignites the dirt on the motor;

#### Harm

Among the failures and fires of electrical equipment, 20% are caused by the motor.

This is because the daily maintenance of the motor is not good enough, and due to various reasons, the motor ignites and ignites combustible materials around the motor.

# 2 Contamination Hazards



Every year, all kinds of large and small electric accidents caused by contamination in the country lead us to think deeply...

Ensuring safe production is our biggest challenge

#### **Traditional maintenance methods**

### Artificial cleaning

#### **Imperfect** decontamination

Incomplete cleaning, low efficiency, off power operation

### Live washing using water

#### Narrow application Field

Complicated operation, pollutants will affect dynamic insulation, not suitable for indoor equipment.

### Live washing using chemicals

#### Low safety factor

Chemical stimulation, toxicity, harmful, corrosive equipment, most products are flammable











# As a special work of mine power protection, it is difficult to cut off power for maintenance during mining On the premise of ensuring safe operation

Is there a product or service that can solve pollution and avoid the harm caused by pollution to equipment!















Users can use a variety of products and services combination according to their own conditions.







#### **Physical cleaning**

Mainly for heavy pollution equipment such as outdoor insulators

#### Live cleaning

Mainly for the large number of equipment, large equipment, serious pollution, regular maintenance

#### **Live protection**

It mainly provides longterm protection for equipment, and it can protect the equipment from water, salt spray, dust, oil and other pollutants in the environment.

### Rust-proof lubrication

It can loosen rust, anti rust, lubricate, dehumidify and clean metal parts. Simultaneous longterm rust proof.

### Self maintenance using canned product

Mainly for the small number of equipment, small equipment, light pollution, and user selfmaintenance.

Multiple choices will solve more problems for users Customization will be more targeted to the problem



# Application of motor and electrical equipment



#### **Transform**



**Distribution** 

**Transmission** 


Communication

### (3)

### **Applications**

Dust cleaning of motor stator







Rotor oil and dust cleaning

Shell oil and dust cleaning



### **Product Solution**



## Contamination Solutions

# Modern safety maintenance method

Live cleaning maintenance service

No corrosion

Non-corrosive to
equipment components

Non-toxic harmless
Volatile without
residue

Safe reliable


Dynamic insulation is relatively

close to static insulation

Good detergency
All-round removal of oil
and dust pollution

# 4 Maintenance Method

# Customer self service (Product sale)



**Project implementation method:** Provide customers with comprehensive solutions for new materials technology application products, and provide professional on-site service in the form of projects.

**Canned sales method:** Canned package new material technology application products, improve the practicability and ease of use of the products, unify the product use standards, and improve the self-maintenance ability of end users.



Closed loop professional Professional tools Professional Professional maintenance product service team (clean + protection) maintenance system & equipment Non-Tonic **High security** Volatile Strict training Independent R&D Site survey Harmless Strong **Scientific process** Safe & reliable implementation plan **Colorless** Certificate-holder on decontamination Withstand **Guaranteed durability Evaluation return visit Odorless** high voltage **Dynamic insulation** duty No corrosive

The best safe efficient market choice



**TDJ live Maintenance** 


The professionally trained technicians select special maintenance cleaning agents and tools, follow TDJ live maintenance safety guarantee system, and carry out the maintenance cleaning work under the live operation state of the electric power equipment according to the actual conditions of the equipment.

Safe

**Non-Toxic** 

#### **TDJ live Maintenance Process**

- Live test
- Physical cleaning
- Dissolution decontamination
- Nanomaterial protection
- Live retest



Restore the optimal operating state of the equipment to make the device safe and easy to run



# 5 Comparison

	Artificial cleaning	Live washing using water	Live washing using chemicals	Live cleaning by TDJ
Clean effect	*	**	****	***
No corrosion	****	****	$\stackrel{\wedge}{\leadsto}$	****
Non-toxic harmless	****	****	$\stackrel{\wedge}{\Longrightarrow}$	****
Withstand voltage	$\stackrel{\wedge}{\Longrightarrow}$	**	***	****
Static insulation	$\Rightarrow$	****	****	****
Dynamic insulation	$\stackrel{\wedge}{\Longrightarrow}$	$\stackrel{\wedge}{\swarrow}$	***	****

★ is lowest score
★ ★ ★ ★ is
highest score
☆ is zero score

To the greatest extent, it meets the user's requirements on decontamination effect, non-corrosive, non-toxic, harmless, safe and reliable.

#### **Product Core**

#### **Dynamic insulation**

Different from chemical cleaning and water live cleaning, TDJ cleaning agent has dynamic insulation, which can keep the equipment insulated at all times, thus improving equipment safety. The curing agent can wrap the dust particles on the equipment to ensure safe insulation.

Applicable voltage ≤ 500KV.

Safe Reliable Non-Tonic Harmless Non-Tonic Harmless

Non-toxic, odorless and controllable volatility

Safe

Good Detergency No Corrosion

**Good Detergency** 

Cleaning agent has strong encapsulation and removal effect on pollutants such as oil, dust, metal particles, acid, alkali and salt.

#### **No Corrosion**

Cleaning and curing agent will not produce chemical reaction to metal and rubber on the surface of equipment, and will not affect the operation of equipment.

# 5A Safety Guarantee System

- 1. Live maintenance mainly includes live cleaning and live protection. It is used to solve the safety problems of various kinds of equipment, to solve the hidden safety problems, faults and energy consumption problems caused by static electricity, dust, salt, moisture and temperature in long-term operation equipment, and to solve the problems of power off, high difficulty and incomplete treatment in traditional equipment maintenance methods.
- 2. Live maintenance service is subverted, using live maintenance products and services (professional operators use our products and tools strictly in accordance with the company 's six major implementation of the service process, 5A security system to provide services to customers) are concise, efficient and thorough to remove all kinds of pollutants, eliminate all kinds of potential safety hazards and ensure the equipment safety.
- 3. Good effect of improving operation efficiency, prolonging service life and reducing energy consumption of equipment operation while fully running





## Product Safety Guarantee

#### **Product**

#### **Drum package**

Power electric equipment live cleaning detergent

OLC-10-B OLC-35-B OLC-110-B

OLC-220-B OLC-330-B OLC-500-B

**Electric equipment live protective agent** 

CP-01 CP-98

#### **Canned package**

Flame retardant electric equipment cleaning detergent

**OLC-10** 

**Electric equipment live protective agent** 

CP-001

**Anti-Rust Iubrication agent** 

RPL-01

#### **Test & Insurance**

TengDaJie product characteristics and protective agent waterproof Qualified by the following laboratory



**China CEPREI laboratory** 

TengDaJie products are tested by the following laboratory (toxicity and safety)



**Applied Toxicology Institute Nanjing Medical University** 

TengDaJie products are insured by Pacific Insurance Company



The withstand voltage value of TengDaJie products is tested by the following laboratory



Power Industry Electrical Equipment Quality Inspection and Testing Center

# Safety Guarantee of Tools & Equipment

No.	Process	Tools & Equipment Name List
1	Live Test	Non-contact Infrared Thermometer, Electrostatic Measuring Instrument, Wind Speed Measuring Instrument, Infrared Thermal Imaging Instrument
2	Static Balance	Static Balance Instrument
3	Physical Cleaning	Column Type Insulator Maintenance Tool
4	Dissolution Cleaning Insulation protection Antistatic protection	Live Maintenance Machine for Electric Equipment Portable Spray Gun Insulation Gun for High Voltage Power Equipment Maintenance
5	Physical collection	Special Suction Collection Machine for Live Maintenance

- Tengdajie engineers independently R&D
- 12 utility model patent certificates
- Annual professional withstand voltage test



# Technical Service Personnel Guarantee

**National Professional Certificate Special Operation Certificate** -Safety production supervision authority Certificate of Working at Height -Safety production supervision authority Carry out maintenance Qualification certificate for charged water washing and electrification work strictly according to cleaning of power transmission and Tengdajie live transformation equipment of 220kV maintenance operation and below **Tengdajie Technical** standard -China Electric Power Research **Service Personnel** Institute Certificate-**Expert** holder on **Pass Exams** guidance duty Tengdajie Live Safety education for Maintenance Standard" cleaning and maintenance Training and technicians before taking Qualification up positions Assessment

Reference to relevant national standards



Combined with practical project experience



"Tengdajie high and low voltage distribution equipment live maintenance procedures"

"Tengdajie transmission and transformation equipment live maintenance procedures"

**Electrostatic** Using Electrostatic Balancer to Eliminate Accumulated balance process Electrostatic of Equipment Live cleaning Live Cleaning and Maintenance Suitable for External Electric process **Insulation Equipment Atomization** Suitable for thick dirt, first atomizing and curing, then Maintenance infiltrating, thoroughly decomposing dirt process Dissolution Maintenance of equipment with efficient and safe live Maintenance cleaning agent **Process Nanomaterial** Maintenance of equipment against acid, alkali and salt protection pollution, corrosion and leakage process

#### Production Safety Guarantee

Work guardianship system

**Survey system** 

Safety management system Work permit system

Work ticket system

**Work Interruption system** 


**Termination and Restoration System** 

Ensuring the Safety of Live Maintenance Production



Before

After



#### **Maintenance effect:**

Through the comparison of the pictures, it can be clearly seen that the equipment after cleaning is completely new. The cleaning agent removes 90% of the pollutants on the equipment by means of dissolving, wrapping and carrying away, and restores more than 90% of the insulation of the equipment and ensure safe operation of the equipment.

#### **Power Plant**

**Equipment environment:** Insulators are outdoors, and located at the edge of the machine repair plant, long-term contact with sand, rain, oil and gas

**Contamination:** There are a lot of dust and sludge-like pollutants the equipment surface. The outdoor equipment is seriously polluted due to exposure to the air, which is contaminated by the external inorganic matter, dust, rain and sun. Customer feedback that the device has experienced an discharge before. The insulators on the customer 's equipment are coated with anti-fouling paint during installation. The paint is aging and cracked due to contact with air and rain for a long time, and the risk of secondary construction is high. The user hopes that there is a kind of equipment maintenance service that can be safe and it can remove the surface contamination as much as possible.


**Solution:** Physical Cleaning + Electrification Cleaning Uses self-developed tools to clean large contaminants first, and then use TDJ series cleaning agent for regular maintenance. The products used in maintenance service have the characteristics of high voltage resistance and high cleanliness. They not only meet the needs of customers, but also have the characteristics of non-corrosive equipment, fast volatilization and no residue after cleaning, colorless, odorless, non-toxic and harmless.

### 6

### Customer Case

#### Before

#### After



**Maintenance effect:** entire cleaning process is live working, cleaning services washed all pollutants on the equipment surface, heat-dissipating components and cable bars, liquid volatiles quickly without residue to avoid secondary dust contamination, restore the insulation value of the equipment.

#### Shenhua Ningxia Power Plant


**Equipment environment:** equipment is very close to the boiler area, long time contact with mineral powder, environmental air humidity is very low, heavy dust and mineral powder pollution. **Pollution situation:** There are a lot of sludge contaminants on the surface of equipment, especially on the surface of cable bars, which accumulates a lot of sludge, and pollution is very heavy. The customer indicated that there had been discharge in some insulation parts of the equipment. Customer cleaning is manual cleaning with power off, which is inefficient. At the same time, equipment shutdown brings additional economic losses to the company and only removes part of the surface dust, so the improvement of equipment safety is not obvious.

**Solution:** Live Cleaning + Live Protection Electric Power Equipment Live Special Cleaning Agent Regular Maintenance Service. Maintenance service has the characteristics of live operation, high cleanliness and high efficiency. It not only meets the needs of customers, but also has the characteristics of non-corrosive, fast volatilization and no residue after cleaning, colorless, odorless, non-toxic and harmless. After cleaning, live protective agent is used, and then a protective film is formed on the surface of the equipment to isolate dust, oil pollution, water vapor and other pollutants, so as to ensure the long-term operation safety of the equipment.

### Customer Case

#### Before

#### After



#### **Maintenance effect:**

Maintenance services remove more than 90% of the contaminants on the surface of equipment, and solve the problem of instability of equipment operation caused by dust and dust accumulation. Canned products greatly facilitate the daily inspection operation of users.

#### **Steel factory in Shanghai**

**Equipment environment:** The dust around the distribution room is heavy, too much dust content in the air, and a nearby water treatment plant causes serious moisture. Contamination: A large number of equipment connectors are corroded, and a large number of coal ash dust inside transformers cause instability of equipment operation.

#### Solution: Live cleaning + canned product selfmaintenance + anti-rust lubrication

Tengdajie power electrical equipment special cleaning agent regular maintenance service, canned product flame retardant electric electrical equipment cleaning agent for self-maintenance. Because the cleaning method of our cleaning products is taken away after physical wrapping, there is no chemical stimulation and no corrosion to equipment. And the cleaning agent can live cleaning, non-toxic and harmless, it meets the needs of customer for cleaning equipment.

Canned products are highly safe, flame retardant and easy to operate, making it easy for users to use for their own daily maintenance.

After using anti-rust lubrication products, mechanical equipment operates more smoothly, and forms a protective film to prevent the corrosion of equipment caused by pollutants such as moisture.

# Benefits for Equipment

High and low voltage distribution equipment, transmission and transformation equipment, control equipment

- Dust removal

  Removal of surface and deep contaminants from equipment
- Restore insulation

  Restore to 90%-95% of original insulation value
- Slow down corrosion

  Anti-corrosion protection of equipment, slow down corrosion speed after equipment cleaning

- Decrease temperature
  - Maximum decrease internal temperature 15%-40%, internal average temperature 10%-30%
- Insulation protection

  Protect equipment against leakage Eliminate leakage basically

### 6

#### Reduce Economic Losses

#### **Before & After:**





**Insure equipment** 03 operation safety **Avoiding loss caused by** blackout Improve equipment operating efficiency Clean, Decontamination, 02 **Energy Saving and Consumption Reduction Extend equipment** 05 service life The average service life Incidence of fire and of the equipment is explosion caused by high prolonged by more temperature and aging than 20%. decreased by 30%. The average **Equipment fault** reduction of rate caused by lı." energy static electricity consumption is or dust reduce about 20%. more than 70%.

### 6 Company Introduction



Fujian Tengdajie Environmental Protection Engineering Co., Ltd. is committed to the application of liquid nano material technology. It is a high-tech modern company integrating R&D, production, sales and service. Each series of products has a number of patents and has obtained ISO and OHSAS certificates. Among them, the maintenance test report and the non-toxic and harmless test report on human body have been underwritten by China Pacific Insurance Company. They have the characteristics of non-toxic, non corrosive, high stability, high reliability and other high competitiveness, leading the new trend of industry development.

Tengdajie has successfully provided all-round high-quality cleaning services for various fields, including power system, power generation system, manufacturing, communication operators, education system, etc. It undertakes the mechanical cleaning work and related services for the upstream and downstream companies of large enterprises, such as State Grid Corporation of China, Sinopec, China Tobacco, China Unicom, and Shanghai Metro, Innovative research and development of a series of competitive high-quality cleaning products, supporting systems and perfect service system; Starting from the development of personalized maintenance scheme, Tengdajie combines professional construction teams, professional maintenance products, professional tools and appliances and closed-loop professional maintenance system to create the best safe and efficient market choice, strictly trains professional construction teams with certificates, uses scientific process maintenance system, professional detergent and protective agent collocation, and independently develops safe and reliable professional tools and appliances, In order to provide high-quality material conditions for maintenance, the professional team provides targeted maintenance plans for customers, and the on-site survey, evaluation and return visit and other means cross operate to bring customers the most perfect service system.

### 6 Company culture



Innovate Cooperate Serve Win-win

#### **Enterprise tenet:**

We always seek to provide power and communication services through high-tech products and professional technologies Enterprises provide professional cleaning and maintenance services for China's power and communications

Safe operation escort

#### Social image:

Tengdajie is an enterprise with a number of core technologies and professional construction teams.

#### **Corporate vision:**

Become a pioneer in the industry standard of live cleaning and maintenance and an excellent demonstration enterprise in the industry


Industrial group, a stage for enterprises to achieve higher career.

#### **Core values:**

Integrity is the root of an enterprise, safety is the guarantee of an enterprise, and innovation is the life of an enterprise The team is the soul of the enterprise.

# 6 Main Business





TDJ is a comprehensive group of companies engaged in the research, development, production, sales, service and investment of new materials technology applications, providing customers with a complete set of service solutions and products for diversified new material technology applications. Products are mainly used for inspection, cleaning and maintenance of network communication, electric equipment and other equipment.

### (6) Qualifications



- OHSAS18001 Occupational Health and Safety System Certification
- ISO14001 Environmental Management System Certification
- ISO9001 Quality Management System Certification



#### Qualifications



Product test report



Inspection report of cargo transportation conditions (Road, sea, air, railway)



Product liability insurance policy




Test Report of Live Maintenance **Tools and Instruments** 



**Product MSDS** 


### (6) Business distribution map





Our technical service teams are all over the country, providing professional and personalized maintenance services for hundreds of customers. In order to solve the customer's pain points, an efficient and safe construction and maintenance plan is formulated. Live cleaning and maintenance technology is widely used in communication, power, petroleum, petrochemical, aviation, aerospace, navigation, transportation, national defense, medical, automation systems, satellite navigation and other fields. We have oversea partners in South Africa, Canada, Azerbaijan, UAE, Qatar, Iraq, Malaysia, Philippines, Nigeria, India etc.

### (4) Business distribution chart



#### **International Business Contact::**

Jie Li

Email: jie.li@tengdajie.com

Mobile: +86 13816317711

Whatsapp: 0086 13816317711

Wechat: 15056982981



Fujian Tengdajie Environmental Protection Engineering Co., Ltd.